

w.e.f. 1<sup>st</sup> June, 2019

# **TURBO RECHARGEABLE SOLUTIONS**

| AUDIBEL. | . A. iQ R |
|----------|-----------|
|----------|-----------|

| Model                         | No. of Channels                     | Style | Peak Gain <sup>+</sup> (dB) | Fitting Range | MRP (INR) Per Unit |
|-------------------------------|-------------------------------------|-------|-----------------------------|---------------|--------------------|
| AUDIBEL iQR Platinum WIRELESS | 24 Channels<br>24 Bands<br><u>≿</u> | RIC   | 63/70/81                    | 0-110 dB      | 2,79,900           |
| AUDIBEL : iQR  Gold  WIRELESS | 20 Channels<br>20 Bands             | RIC   | 63/70/81                    | 0-110 dB      | 1,99,900           |
| AUDIBEL iQR Silver WIRELESS   | 16 Channels<br>16 Bands             | RIC   | 63/70/81                    | 0-110 dB      | 1,20,900           |

Synergy Charger: Free on Binaural Purchase & INR 19,000 on Monaural Purchase (All Tiers)

## **SMART WIRELESS** SOLUTIONS

AUDIBEL. A.

| π  |     | •    |   | •   |
|----|-----|------|---|-----|
| ÷. |     | 111  | • | - 1 |
| 4  |     | - 11 | L | _   |
| •  | 104 | -    | _ |     |

| AUDIBEL 4.10                   |  |                         |                    |                   |                      |                    |  |
|--------------------------------|--|-------------------------|--------------------|-------------------|----------------------|--------------------|--|
| Model                          |  | No. of Channels         | Style              | Peak Gain⁺(dB)    | Fitting Range        | MRP (INR) Per Unit |  |
| Audibel 2 iQ                   | Q.   | 375                     | CIC/ITC/ITE<br>RIC | 51-71<br>63/70/81 | 0-110 dB<br>0-110 dB |                    |  |
| Platinum                       | LOGY   | 24 Channels             | BTE                | 66                | 0-95 dB              | 2,69,900           |  |
| WIRELESS                       |  | 24 Bands                | BTE P              | 75                | 0-105 dB             | A SEN              |  |
|                                | N S  | 3                       | BTE PowerPlus*     | 84                | 20-120 dB            |                    |  |
|                                | 띮  | 8                       | CIC/ITC/ITE        | 51-71             | 0-110 dB             |                    |  |
| Audibel 4 iQ                   | E  | 00 Ob a mada            | RIC                | 63/70/81          | 0-110 dB             |                    |  |
| Gold                           | ES   | 20 Channels<br>20 Bands | BTE                | 66                | 0-95 dB              | 1,89,900           |  |
| WIRELESS                       | REL  | 20 Channels<br>20 Bands | BTE P              | 75                | 0-105 dB             | NEW                |  |
|                                | N S  | 8                       | BTE PowerPlus*     | 84                | 20-120 dB            |                    |  |
|                                | NC<br>i  | <b>1</b>                | CIC/ITC/ITE        | 51-71             | 0-110 dB             |                    |  |
| AUDIBEL                        | S  | 40.01                   | RIC                | 63/70/81          | 0-110 dB             | 1,10,900           |  |
| Silver                         | NAS 006  | 16 Channels<br>16 Bands | BTE                | 66                | 0-95 dB              |                    |  |
| WIRELESS                       |  | 10 Danus                | BTE P              | 75                | 0-105 dB             |                    |  |
|                                | 1  |                         | BTE PowerPlus*     | 84                | 20-120 dB            |                    |  |
|                                |  | Mac                     | de for iPhone H    | learing Aids      |                      |                    |  |
| Audibel iQ  Platinum  WIRELESS | 3Hz Technology   | 24 Channels<br>24 Bands | RIC                | 63/70/81          | 0-110 dB             | 2,69,900           |  |
| AUDIBEL diQ Gold WIRELESS      | 100% WIRELESS WITH TRULINK 2.4 GHz Technology<br>RICs are available in 312 battery Size. | 20 Channels<br>20 Bands | RIC                | 63/70/81          | 0-110 dB             | 1,89,900           |  |
| AUDIBEL diQ Silver WIRELESS    | 100% WIRELESS W  | 16 Channels<br>16 Bands | RIC                | 63/70/81          | 0-110 dB             | 1,10,900           |  |

## **PREMIUM NON-WIRELESS SOLUTIONS**

| Model                  |                                  | No. of Channels         | Style              | Peak Gain⁺(dB)    | Fitting Range        | MRP (INR) Per Unit |  |
|------------------------|----------------------------------|-------------------------|--------------------|-------------------|----------------------|--------------------|--|
| A                      | y Size.                          |                         | CIC/ITC/ITE<br>RIC | 51-71<br>63/70/81 | 0-110 dB<br>0-110 dB |                    |  |
| AUDIBEL. 2 iQ Platinum | Y<br>battery                     | 24 Channels             | BTE                | 66                | 0-95 dB              | 2,39,900           |  |
| 1 latilitatii          | 312                              | 24 Bands                | BTE P              | 75                | 0-105 dB             | NEW .              |  |
|                        | S ii                             |                         | BTE PowerPlus*     | 84                | 20-120 dB            |                    |  |
|                        | ELESS TECHN 12 battery size & RI |                         | CIC/ITC/ITE        | 51-71             | 0-110 dB             |                    |  |
| AUDIBEL 4 iQ           |                                  | 00 Obassa               | RIC                | 63/70/81          | 0-110 dB             |                    |  |
|                        |                                  | 20 Channels<br>20 Bands | BTE                | 66                | 0-95 dB              | 1,59,900           |  |
| Gold                   |                                  | 20 Danus                | BTE P              | 75                | 0-105 dB             |                    |  |
|                        | VIK 8 31                         |                         | BTE PowerPlus*     | 84                | 20-120 dB            |                    |  |
|                        | NON-W                            |                         | CIC/ITC/ITE        | 51-71             | 0-110 dB             |                    |  |
| AUDIBEL 4 iQ           |                                  | aple 4001               | RIC                | 63/70/81          | 0-110 dB             |                    |  |
| Silver                 | NC<br>available                  | 16 Channels<br>16 Bands | BTE                | 66                | 0-95 dB              | 89,900             |  |
|                        | are                              | 10 Danus                | BTE P              | 75                | 0-105 dB             | NEV                |  |
|                        | BTEs                             |                         | BTE PowerPlus*     | 84                | 20-120 dB            |                    |  |

## **100% INVISIBLE SOLUTIONS**

### **INVISIBEL** iQ

[Synergy]

| Model                                    |                                 | No. of Channels         | Style | Peak Gain <sup>+</sup> (dB) | Fitting Range | MRP (INR) Per Unit |
|--|---------------------------------|-------------------------|-------|-----------------------------|---------------|--------------------|
| INVISIBEL iQ [Synergy] Platinum WIRELESS | 900 SYNC WIRELESS<br>TECHNOLOGY | 24 Channels<br>24 Bands | IIC   | 45/51/54/64                 | 0-110 dB      | 3,50,000           |
| INVISIBEL iQ [Synergy] Platinum          | TECHNOLOGY                      | 24 Channels<br>24 Bands | IIC   | 45/51/54/64                 | 0-110 dB      | 2,60,000           |
| INVISIBEL iQ<br>[Synergy]<br>Gold        | WIRELESS TECHI                  | 20 Channels<br>20 Bands | IIC   | 45/51/54/64                 | 0-110 dB      | 1,80,000           |
| INVISIBEL iQ [Synergy] Silver            | NON- WIR                        | 16 Channels<br>16 Bands | IIC   | 45/51/54/64                 | 0-110 dB      | 1,10,000           |

## **SURFLINK - WIRELESS ACCESSORIES**

SurfLink Remote SurfLink Mini Mobile SurfLink Media 2 SurfLink Mobile 2







INR 22,500 /-



INR 31,000 /-



INR 35,000 /-

<sup>&</sup>lt;sup>+</sup>Peak Gain value as per IEC OES Coupler

#### **SUPREME NON-WIRELESS SOLUTIONS**

|               |        | _            | _ | _            | _   | L. | - 25 |
|---------------|--------|--------------|---|--------------|-----|----|------|
| /\            | 1 1    | 1 7          |   | 1)           | - 1 |    | - 14 |
| $\overline{}$ |        | . ,          |   | $\mathbf{r}$ | п.  |    | 2    |
| <b>∠</b> ►    | $\sim$ | $\mathbf{L}$ | _ | $\mathbf{L}$ | _   |    |      |

| Model  |                | No. of Channels       | Style                             | Peak Gain <sup>+</sup> (dB)   | Fitting Range                                 | MRP (INR) Per Unit |
|--|----------------|-----------------------|-----------------------------------|-------------------------------|---|--------------------|
| AUDIBEL. AUD | )LOGY          | 12 Bands              | CIC/ITC/ITE RIC BTE BTE PowerPlus | 50-79<br>62/67/78<br>70<br>84 | 0-110 dB<br>0-110 dB<br>0-100 dB<br>20-120 dB | 24,900             |
| Audibel. 2. Silver   | IRELESS TECHNO | 8 Channels<br>8 Bands | CIC/ITC/ITE RIC BTE BTE PowerPlus | 50-79<br>62/67/78<br>70<br>84 | 0-110 dB<br>0-110 dB<br>0-100 dB<br>20-120 dB | 19,900             |
| START 8  | NON-W          | 6 Channels<br>6 Bands | CIC/ITC/ITE RIC BTE BTE PowerPlus | 50-79<br>62/67/78<br>70<br>84 | 0-110 dB<br>0-110 dB<br>0-100 dB<br>20-120 dB | 14,900             |

<sup>&</sup>lt;sup>+</sup>Peak Gain value as per IEC OES Coupler





AUDIBEL hearing aids are designed to make listening easy and enjoyable again. Reliable and user-friendly, they're packed with advanced features engineered to:

- Reduce listening effort in noisy environments
- Enhance music and TV listening
- Virtually eliminate whistling and buzzing

- Let you talk easily on phone calls again
- Ensure a comfortable, customized fit

## **UNMATCHED WIRELESS SOLUTIONS**

| Α.            |           | • |        |
|---------------|-----------|---|--------|
| $\Delta$      | X         | 1 | 0      |
| $\overline{}$ | $\Lambda$ |   | $\cup$ |

| Model    |              | No. of Channels         | Style                 | Peak Gain⁺(dB) | Fitting Range | MRP (INR) Per Unit |        |
|----------|--------------|-------------------------|-----------------------|----------------|---------------|--------------------|--------|
| Axio i16 |              | 16 Channels<br>16 Bands | ВТЕ                   | 70             | 0-100 dB      | 43,950             |        |
| Axio i12 | attery Size. | 12 Channels<br>12 Bands | ВТЕ                   | 70             | 0-100 dB      | 33,950             |        |
| Axio i8  | in 13 B      | 13 B                    | 8 Channels<br>8 Bands | ВТЕ            | 70            | 0-100 dB           | 24,950 |
| Axio i6  | BTEs are ava | 6 Channels<br>6 Bands   | ВТЕ                   | 70             | 0-100 dB      | 19,950             |        |
| Axio i4  |              | 4 Channels<br>4 Bands   | ВТЕ                   | 70             | 0-100 dB      | 17,950             |        |

# **UNMATCHED NON-WIRELESS SOLUTIONS**



| Model  | No. of Channels                          | Style | Peak Gain⁺(dB) | Fitting Range | MRP (INR) Per Unit |
|--------|--|-------|----------------|---------------|--------------------|
| Axio 6 | in 13 Battery Size.  6 Channels  6 Bands | ВТЕ   | 70             | 0-100 dB      | 14,950             |
| Axio 4 | 4 Channels<br>4 Bands                    | ВТЕ   | 70             | 0-100 dB      | 14,150             |

<sup>&</sup>lt;sup>+</sup>Peak Gain value as per IEC OES Coupler





| Model    | Style                | Fitting Range | Features   | MRP(INR)<br>Per Unit |  |  |  |  |  |  |  |
|----------|----------------------|---------------|--|----------------------|--|--|--|--|--|--|--|
|          | 4 Channels & 4 Bands |               |  |                      |  |  |  |  |  |  |  |
| 40       | CIC/ITC/ITE          | 0-90 dB       | □ Environmental Adaption   | 15,850               |  |  |  |  |  |  |  |
| <u> </u> | CIC/ITC/ITE ExP*     | 0-100 dB      | □ Feedback Canceller     □ Talanhara Mada                            | 17,350               |  |  |  |  |  |  |  |
| ARIES    | BTE                  | 20-110 dB     | <ul><li>□ Telephone Mode</li><li>□ Environmental Programs</li></ul>  | 14,750               |  |  |  |  |  |  |  |
|          | BTE 675              | 20-120 dB     | <ul><li></li></ul>   | 13,300               |  |  |  |  |  |  |  |
|          |                      | 8 Channels    | & 8 Bands  |                      |  |  |  |  |  |  |  |
| PRO      | CIC/ITC/ITE          | 0-90 dB       | □ Environmental Adaption   | 18,350               |  |  |  |  |  |  |  |
|          | CIC/ITC/ITE ExP*     | 0-100 dB      |  | 19,850               |  |  |  |  |  |  |  |
| ARIES    | BTE                  | 20-110 dB     | <ul><li> □ Telephone Mode</li><li>□ Environmental Programs</li></ul> | 16,900               |  |  |  |  |  |  |  |
| AR       | BTE 675              | 20-120 dB     | □ Adaptive Indicator Tones   | 15,300               |  |  |  |  |  |  |  |

| Model      | Style | Fitting Range | Features   | MRP(INR)<br>Per Unit |
|------------|-------|---------------|--|----------------------|
| Fortune PP | BTE   | 20-120 dB     | ☑ 2 Channel Digital Processing  Technology   | 11,000               |
| Fortune P  | ВТЕ   | 20-110 dB     | <ul> <li>☑ Program change and Low Battery Tone</li> <li>☑ Low Frequency Cut and Output Limit</li> <li>Trimmer</li> </ul> | 10,000               |
| Fortune M  | ВТЕ   | 0-90 dB       | <ul><li>☑ Rocker Volume Control</li><li>☑ Output Compression Limiting</li></ul>  | 6,500                |
| Fortune 3T | ITC   | 0-100 dB      | □ Trimmer Control Digital Processing     □ Technology  | 13,500               |
| Fortune 2T | ITC   | 0-90 dB       | ☑ 2 Channel WDRC   | 13,000               |
| Fortune    | CIC   | 0-70 dB       | <ul><li></li></ul>   | 13,000               |

|       | REPAIR CHARGES (Taxes as Applicable)       |                           |                   |  |  |
|-------|--|---------------------------|-------------------|--|--|
| S.No. | Hearing Aids                               | Repair Charges (Per Unit) | Warranty          |  |  |
| 1.    | Products with MRP less than INR 2,00,000/- | INR 1650 / INR 3250       | 2 Months / 1 Year |  |  |
| 2.    | Products with MRP more than INR 2,00,000/- | INR 3150 / INR 4550       | 2 Months / 1 Year |  |  |

- MRP will be considered as per the existing pricelist
- Physical damage or damage due to battery leakage will not be covered under repair warranty.
- Repair issues related to Battery Door, Pulling Thread & Ear Hook will be charged at INR 500 + Taxes each Aid

| MOULD CHARGES (Taxes Inclusive)        |                                   |                    |                        |  |  |
|--|-----------------------------------|--------------------|------------------------|--|--|
| Silicon Stock RIC Mould : INR 800 Pair | Soft BTE Mould : INR 600 Per Unit | Hard BTE Mo        | uld : INR 400 Per Unit |  |  |
| EXTRA RECIEVER FOR RIC                 |                                   | MRP (INR) Per Unit |                        |  |  |
|  | 40/50/60/71 (dB)                  |                    | INR 7200               |  |  |

# Feature overview



| Feature  | Premium<br>i2400  | Advanced<br>i2000   | Select<br>i1600 |
|--|---|---|-----------------|
| Platform:<br>Synergy   | •   | •   | •               |
| Sound Imaging:<br>Channels   Bands   | 24  | 20  | 16              |
| Bandwidth: Extended 10 kHz   | •   | •   | •               |
| Operating System: Acuity 0S 2  | •   | •   | •               |
| 900 MHz Wireless Technology:<br>900sync  | •   | •   | •               |
| Wireless Streaming: Pristine Audio Streaming   | •   | •   | •               |
| Speech Compression: Acuity Speech Optimization   | •   | •   | •               |
| Spatial Awareness:<br>Acuity Immersion*  | •   | •   | •               |
| Music Optimisation:  Music Enhancement   |   |   |                 |
| Music Memory<br>Music Adaptation<br>E2E Music Adaptation   | 1 2 3 4   | 1 2 3 4   | 1 2 3           |
| Ear-to-Ear Technology: Acuity Binaural Imaging   |   |   | •               |
| E2E Wind Noise Management<br>E2E Machine Noise Adaptation<br>E2E Directionality<br>E2E Phone Streaming | 1 2 3 4   | 1 2 3 4   | 1 2 3 1 2 3     |
| <b>Environment Manager:</b><br>Acuity Lifescape Analyzer   |   |   |                 |
| Music<br>Speech<br>Speech and Noise<br>Machine Noise<br>Wind<br>Noise<br>Acuity Quiet                  | 1 2 3 4<br>1 2 3 4 | 1 2 3 4<br>1 2 3 4 |                 |
| <b>Directional Processing:</b> Acuity Immersion  |   | •   | •               |
| Channels   | 24  | 20  | 16              |
| Immersion  |   |   | •               |
| Adaptive   |   |   |                 |
| Dynamic<br>Directional   |   |   |                 |
| <b>Noise Control:</b><br>Acuity Voice  |   |   | •               |
| Noise Reduction Strength   | 1 2 3 4   | 1 2 3 4   | 1 2 3           |
| Feedback Management: WhistleFree Feedback Cancellation   | •   | •   | •               |
| Frequency Lowering: Speech Shift   | •   | •   | •               |
| Tinnitus Technology: Multiflex Tinnitus Technology   | •   | •   | •               |
| Wireless Accessory Compatibility: SurfLink Accessories   | •   | •   | •               |
| Rechargeable Option**  | •   | •   | •               |

- All Hearing Aids cover 2 Years Worldwide Warranty.
- This Price list supersedes all previous price lists and is subject to change without any prior notice.
- Hearing Aids sold or purchased through any e-commerce web sites or online portal shall not be covered under company's warranty policy.



The world's first
Healthable™ hearing aid
with **Artificial Intelligence & Integrated Sensors** 





#### Features include:



Body and brain tracking



Fall detection and alerts



Thrive<sup>™</sup> Assistant



Rechargeable option



Heart rate\*



Language translation



Voice-to-text transcription



Self check for hearing aid performance



Natural user interface with tap control

Starkey Laboratories India Pvt. Ltd. C-2, Sector-7, Noida-201301 Ph. :+91-120-4081000 www.starkeyindia.com Marketing\_Support\_India@starkey.com Starkey Hearing Technologies 6700, Washington Avenue South Eden Prairie MN 55344-3476 Ph.: 800-328-8602 www.starkey.com

Use of the Made for Apple badge means that an accessory has been designed to connect specifically to the Apple product(s) identified in the badge, and has been certified by the developer to meet Apple performance standards. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards. Apple, the Apple logo, iPhone, iPad, iPod touch, App Store and Siri are trademarks of Apple Inc., registered in the U.S. and other countries.

 ${\it Google is a trademark of Google LLC. Google Play and Android are trademarks of Google Inc.} \\$ 

All trade names and trademarks are properties of their respective owners.

Amazon, Alexa and all related logos are trademarks of Amazon.com, Inc. or its affiliates.





