

# Hear better. Smile more.

with Interton Ready



Sr. No.	Model Name	Programming Adapters	Channel / Bands	Battery Types	Full on Gain	Fitting Range	MRP. in ₹
---------	------------	----------------------	-----------------	---------------	--------------	---------------	-----------

### READY 6

Adaptive Noise Reduction, Adaptive Wind Noise Reduction, Environmental Gain Tuner, Integrated Directionality, Automatic Beamwidth, Selectable Beamwidth, Auto Steered Directionality, Speech Focused Directionality, Fixed Directionality, Feedback Manager Plus, Preset Feedback Manager, Acclimatization Manager, Ear to Ear Processing, Ear to Ear Communication(Push Button / Volume Control), Made for Apple Phone, 2.4GHz ready, Multi Mic, Phone clip 2, TV Streamer 2, Interton Sound App, Nano Coating, Frequency Shifter, Low Frequency Boost, TSG.

Software - Interton Fitting 1.5

Chipset - C 4.5 (Coyote)

1	Ready 6 Normal Power BTE (MFI)	PA 2 with CS44 cable, Speedlink / HI PRO or Noahlink wireless	14 / 14	13	66	20 - 100	1,40,000 /-
2	Ready 6 Power BTE (MFI)	PA 2 with CS44 cable, Speedlink / HI PRO or Noahlink wireless	14 / 14	13	73	30 - 105	1,40,000 /-
3	Ready 6 High Power BTE (MFI) with metal hook	PA 2 with CS44 cable, Speedlink / HI PRO or Noahlink wireless	14 / 14	13	80	30 - 115	1,40,000 /-
4	Ready 6 RIE LP 661 (MFI)	CS 63 Flex cable (3 pin), Speedlink / HI PRO or Noahlink wireless	14 / 14	312	61	20 - 90	1,40,000 /-
5	Ready 6 RIE MP 661 (MFI)	CS 63 Flex cable (3 pin), Speedlink / HI PRO or Noahlink wireless	14 / 14	312	67	20 - 95	1,40,000 /-
6	Ready 6 RIE HP 661 (MFI)	CS 63 Flex cable (3 pin), Speedlink / HI PRO or Noahlink wireless	14 / 14	312	74	20 - 110	1,40,000 /-
7	Ready 6 RIE UP 661 (MFI)	CS 63 Flex cable (3 pin), Speedlink / HI PRO or Noahlink wireless	14 / 14	312	82	20 - 115	1,40,000 /-
8	Ready 6 RIE LP 662 (MFI)	PA 2 with CS44 cable, Speedlink / HI PRO or Noahlink wireless	14 / 14	13	61	20 - 90	1,40,000 /-
9	Ready 6 RIE MP 662 (MFI)	PA 2 with CS44 cable, Speedlink / HI PRO or Noahlink wireless	14 / 14	13	67	20 - 95	1,40,000 /-
10	Ready 6 RIE HP 662 (MFI)	PA 2 with CS44 cable, Speedlink / HI PRO or Noahlink wireless	14 / 14	13	74	20 - 110	1,40,000 /-
11	Ready 6 RIE UP 662 (MFI)	PA 2 with CS44 cable, Speedlink / HI PRO or Noahlink wireless	14 / 14	13	82	20 - 115	1,40,000 /-
12	Ready 6 ITC MP (Dual Mic) (MFI)	CS 63 Flex cable (3 pin), Speedlink / HI PRO or Noahlink wireless	14 / 14	312	59	20 - 100	1,40,000 /-
13	Ready 6 ITC HP (Dual Mic) (MFI)	CS 63 Flex cable (3 pin), Speedlink / HI PRO or Noahlink wireless	14 / 14	312	69	20 - 105	1,40,000 /-
14	Ready 6 ITC UP (Dual Mic) (MFI)	CS 63 Flex cable (3 pin), Speedlink / HI PRO or Noahlink wireless	14 / 14	312	79	20 - 110	1,40,000 /-
15	Ready 6 CIC LP	CS 63 Flex cable (3 pin), Speedlink / HI PRO	14 / 14	10	49	20 - 85	1,40,000 /-
16	Ready 6 CIC MP	CS 63 Flex cable (3 pin), Speedlink / HI PRO	14 / 14	10	59	20 - 100	1,40,000 /-
17	Ready 6 CIC HP	CS 63 Flex cable (3 pin), Speedlink / HI PRO	14 / 14	10	69	20 - 105	1,40,000 /-
18	Ready 6 CIC UP	CS 63 Flex cable (3 pin), Speedlink / HI PRO	14 / 14	10	79	20 - 110	1,40,000 /-
19	Ready 6 CIC LP - Wireless CIC #	CS 63 Flex cable (3 pin), Speedlink / HI PRO or Noahlink wireless	14 / 14	312	49	20 - 85	1,40,000 /-
20	Ready 6 CIC MP - Wireless CIC #	CS 63 Flex cable (3 pin), Speedlink / HI PRO or Noahlink wireless	14 / 14	312	59	20 - 100	1,40,000 /-
21	Ready 6 CIC HP - Wireless CIC #	CS 63 Flex cable (3 pin), Speedlink / HI PRO or Noahlink wireless	14 / 14	312	69	20 - 105	1,40,000 /-
22	Ready 6 CIC UP - Wireless CIC #	CS 63 Flex cable (3 pin), Speedlink / HI PRO or Noahlink wireless	14 / 14	312	79	20 - 110	1,40,000 /-
23	Ready 6 IIC (CIC With black faceplate)	CS 63 Flex cable (3 pin), Speedlink / HI PRO	14 / 14	10	49	20 - 85	1,40,000 /-

### READY 4

Adaptive Noise Reduction, Adaptive Wind Noise Reduction, Selectable Beamwidth, Auto Steered Directionality,Speech Focused Directionality, Fixed Directionality, Feedback Manager Plus, Preset Feedback Manager, Ear to Ear Communication (Push button, Volume Control), Made for Apple Phone, 2.4GHz ready, Multi Mic, Phone Clip 2, TV Streamer 2, Interton Sound App, Nano Coating, Frequency Shifter, Low Frequency Boost, TSG.

Software - Interton Fitting 1.5

Chipset - C 4.5 (Coyote)

24	Ready 4 Normal Power BTE (MFI)	PA 2 with CS44 cable, Speedlink / HI PRO or Noahlink wireless	12 / 12	13	66	20 - 100	75,000 /-
----	--------------------------------	---	---------	----	----	----------	-----------

Sr. No.	Model Name	Programming Adapters	Channel / Bands	Battery Types	Full on Gain	Fitting Range	MRP. in ₹
25	Ready 4 Power BTE (MFI)	PA 2 with CS44 cable, Speedlink / HI PRO or Noahlink wireless	12 / 12	13	73	30 - 105	75,000 /-
26	Ready 4 High Power BTE (MFI) with metal hook	PA 2 with CS44 cable, Speedlink / HI PRO or Noahlink wireless	12 / 12	13	80	30 - 115	75,000 /-
27	Ready 4 RIE LP 461 (MFI)	CS 63 Flex cable (3 pin), Speedlink / HI PRO or Noahlink wireless	12 / 12	312	61	20 - 90	75,000 /-
28	Ready 4 RIE MP 461 (MFI)	CS 63 Flex cable (3 pin), Speedlink / HI PRO or Noahlink wireless	12 / 12	312	67	20 - 95	75,000 /-
29	Ready 4 RIE HP 461 (MFI)	CS 63 Flex cable (3 pin), Speedlink / HI PRO or Noahlink wireless	12 / 12	312	74	20 - 110	75,000 /-
30	Ready 4 RIE UP 461 (MFI)	CS 63 Flex cable (3 pin), Speedlink / HI PRO or Noahlink wireless	12 / 12	312	82	20 - 115	75,000 /-
31	Ready 4 RIE LP 462 (MFI)	PA 2 with CS44 cable, Speedlink / HI PRO or Noahlink wireless	12 / 12	13	61	20 - 90	75,000 /-
32	Ready 4 RIE MP 462 (MFI)	PA 2 with CS44 cable, Speedlink / HI PRO or Noahlink wireless	12 / 12	13	67	20 - 95	75,000 /-
33	Ready 4 RIE HP 462 (MFI)	PA 2 with CS44 cable, Speedlink / HI PRO or Noahlink wireless	12 / 12	13	74	20 - 110	75,000 /-
34	Ready 4 RIE UP 462 (MFI)	PA 2 with CS44 cable, Speedlink / HI PRO or Noahlink wireless	12 / 12	13	82	20 - 115	75,000 /-
35	Ready 4 ITC MP (Dual Mic) (MFI)	CS 63 Flex cable (3 pin), Speedlink / HI PRO or Noahlink wireless	12 / 12	312	59	20 - 100	75,000 /-
36	Ready 4 ITC HP (Dual Mic)(MFI)	CS 63 Flex cable (3 pin), Speedlink / HI PRO or Noahlink wireless	12 / 12	312	69	20 - 105	75,000 /-
37	Ready 4 ITC UP (Dual Mic) (MFI)	CS 63 Flex cable (3 pin), Speedlink / HI PRO or Noahlink wireless	12 / 12	312	79	20 - 110	75,000 /-
38	Ready 4 CIC LP	CS 63 Flex cable (3 pin), Speedlink / HI PRO	12 / 12	10	49	20 - 85	75,000 /-
39	Ready 4 CIC MP	CS 63 Flex cable (3 pin), Speedlink / HI PRO	12 / 12	10	59	20 - 100	75,000 /-
40	Ready 4 CIC HP	CS 63 Flex cable (3 pin), Speedlink / HI PRO	12 / 12	10	69	20 - 105	75,000 /-
41	Ready 4 CIC UP	CS 63 Flex cable (3 pin), Speedlink / HI PRO	12 / 12	10	79	20 - 110	75,000 /-
42	Ready 4 CIC LP - Wireless CIC #	CS 63 Flex cable (3 pin), Speedlink / HI PRO or Noahlink wireless	12 / 12	312	49	20 - 85	75,000 /-
43	Ready 4 CIC MP - Wireless CIC #	CS 63 Flex cable (3 pin), Speedlink / HI PRO or Noahlink wireless	12 / 12	312	59	20 - 100	75,000 /-
44	Ready 4 CIC HP - Wireless CIC #	CS 63 Flex cable (3 pin), Speedlink / HI PRO or Noahlink wireless	12 / 12	312	69	20 - 105	75,000 /-
45	Ready 4 CIC UP - Wireless CIC #	CS 63 Flex cable (3 pin), Speedlink / HI PRO or Noahlink wireless	12 / 12	312	79	20 - 110	75,000 /-
46	Ready 4 IIC (CIC With black faceplate)	CS 63 Flex cable (3 pin), Speedlink / HI PRO	12 / 12	10	49	20 - 85	75,000 /-

### READY 3

Adaptive Noise Reduction, Adaptive Wind Noise Reduction, Auto Steered Directionality, Speech Focused Directionality, Fixed Directionality, Feedback Manager Plus, Preset Feedback Manager, Interton Sound App, Multi mic, Phone Clip 2, TV streamer 2, Nano Coating, Frequency Shifter, Low Frequency Boost, TSG.

Software - Interton Fitting 1.5

Chipset - C 4.5 (Coyote)

47	Ready 3 Normal Power BTE	PA 2 with CS44 cable, Speedlink / HI PRO or Noahlink wireless	8 / 8	13	66	20 - 100	35,000 /-
48	Ready 3 Power BTE	PA 2 with CS44 cable, Speedlink / HI PRO or Noahlink wireless	8 / 8	13	73	30 - 105	35,000 /-
49	Ready 3 High Power BTE with metal hook	PA 2 with CS44 cable, Speedlink / HI PRO or Noahlink wireless	8 / 8	13	80	30 - 115	35,000 /-
50	Ready 3 RIE LP 361	CS 63 Flex cable (3 pin), Speedlink / HI PRO or Noahlink wireless	8 / 8	312	61	20 - 90	35,000 /-
51	Ready 3 RIE MP 361	CS 63 Flex cable (3 pin), Speedlink / HI PRO or Noahlink wireless	8 / 8	312	67	20 - 95	35,000 /-
52	Ready 3 RIE HP 361	CS 63 Flex cable (3 pin), Speedlink / HI PRO or Noahlink wireless	8 / 8	312	74	20 - 110	35,000 /-
53	Ready 3 RIE UP 361	CS 63 Flex cable (3 pin), Speedlink / HI PRO or Noahlink wireless	8 / 8	312	82	20 - 115	35,000 /-
54	Ready 3 RIE LP 362	PA 2 with CS44 cable, Speedlink / HI PRO or Noahlink wireless	8 / 8	13	61	20 - 90	35,000 /-

Sr. No.	Model Name	Programming Adapters	Channel / Bands	Battery Types	Full on Gain	Fitting Range	MRP. in ₹
55	Ready 3 RIE MP 362	PA 2 with CS44 cable, Speedlink / HI PRO or Noahlink wireless	8 / 8	13	67	20 - 95	35,000 /-
56	Ready 3 RIE HP 362	PA 2 with CS44 cable, Speedlink / HI PRO or Noahlink wireless	8 / 8	13	74	20 - 110	35,000 /-
57	Ready 3 RIE UP 362	PA 2 with CS44 cable, Speedlink / HI PRO or Noahlink wireless	8 / 8	13	82	20 - 115	35,000 /-
58	Ready 3 ITC MP (Dual Mic)	CS 63 Flex cable (3 pin), Speedlink / HI PRO or Noahlink wireless	8 / 8	312	59	20 - 100	35,000 /-
59	Ready 3 ITC HP (Dual Mic)	CS 63 Flex cable (3 pin), Speedlink / HI PRO or Noahlink wireless	8 / 8	312	69	20 - 105	35,000 /-
60	Ready 3 ITC UP (Dual Mic)	CS 63 Flex cable (3 pin), Speedlink / HI PRO or Noahlink wireless	8 / 8	312	79	20 - 110	35,000 /-
61	Ready 3 CIC LP	CS 63 Flex cable (3 pin), Speedlink / HI PRO	8 / 8	10	49	20 - 85	35,000 /-
62	Ready 3 CIC MP	CS 63 Flex cable (3 pin), Speedlink / HI PRO	8 / 8	10	59	20 - 100	35,000 /-
63	Ready 3 CIC HP	CS 63 Flex cable (3 pin), Speedlink / HI PRO	8 / 8	10	69	20 - 105	35,000 /-
64	Ready 3 CIC UP	CS 63 Flex cable (3 pin), Speedlink / HI PRO	8 / 8	10	79	20 - 110	35,000 /-
65	Ready 3 CIC LP - Wireless CIC #	CS 63 Flex cable (3 pin), Speedlink / HI PRO or Noahlink wireless	8 / 8	312	49	20 - 85	35,000 /-
66	Ready 3 CIC MP - Wireless CIC #	CS 63 Flex cable (3 pin), Speedlink / HI PRO or Noahlink wireless	8 / 8	312	59	20 - 100	35,000 /-
67	Ready 3 CIC HP - Wireless CIC #	CS 63 Flex cable (3 pin), Speedlink / HI PRO or Noahlink wireless	8 / 8	312	69	20 - 105	35,000 /-
68	Ready 3 CIC UP - Wireless CIC #	CS 63 Flex cable (3 pin), Speedlink / HI PRO or Noahlink wireless	8 / 8	312	79	20 - 110	35,000 /-
69	Ready 3 IIC (CIC With black faceplate)	CS 63 Flex cable (3 pin), Speedlink / HI PRO	8 / 8	10	49	20 - 85	35,000 /-

## READY 2

Adaptive Noise Reduction, Speech Focused Directionality, Fixed Directionality, Feedback Manager Plus, Preset Feedback Manager, Nano Coating, Frequency Shifter, Low Frequency Boost, TSG.

Software - Interton Fitting 1.5

Chipset - C 4.5 (Coyote)

70	Ready 2 Normal Power BTE	PA 2 with CS44 cable, Speedlink / HI PRO or Noahlink wireless	6 / 6	13	66	20 - 100	25,000 /-
71	Ready 2 Power BTE	PA 2 with CS44 cable, Speedlink / HI PRO or Noahlink wireless	6 / 6	13	73	30 - 105	25,000 /-
72	Ready 2 High Power BTE with metal hook	PA 2 with CS44 cable, Speedlink / HI PRO or Noahlink wireless	6 / 6	13	80	30 - 115	25,000 /-
73	Ready 2 RIE LP 261	CS 63 Flex cable (3 pin), Speedlink / HI PRO or Noahlink wireless	6 / 6	312	61	20 - 90	25,000 /-
74	Ready 2 RIE MP 261	CS 63 Flex cable (3 pin), Speedlink / HI PRO or Noahlink wireless	6 / 6	312	67	20 - 95	25,000 /-
75	Ready 2 RIE HP 261	CS 63 Flex cable (3 pin), Speedlink / HI PRO or Noahlink wireless	6 / 6	312	74	20 - 110	25,000 /-
76	Ready 2 RIE UP 261	CS 63 Flex cable (3 pin), Speedlink / HI PRO or Noahlink wireless	6 / 6	312	82	20 - 115	25,000 /-
77	Ready 2 RIE LP 262	PA 2 with CS44 cable, Speedlink / HI PRO or Noahlink wireless	6 / 6	13	61	20 - 90	25,000 /-
78	Ready 2 RIE MP 262	PA 2 with CS44 cable, Speedlink / HI PRO or Noahlink wireless	6 / 6	13	67	20 - 95	25,000 /-
79	Ready 2 RIE HP 262	PA 2 with CS44 cable, Speedlink / HI PRO or Noahlink wireless	6 / 6	13	74	20 - 110	25,000 /-
80	Ready 2 RIE UP 262	PA 2 with CS44 cable, Speedlink / HI PRO or Noahlink wireless	6 / 6	13	82	20 - 115	25,000 /-
81	Ready 2 ITC MP (Dual Mic)	CS 63 Flex cable (3 pin), Speedlink / HI PRO or Noahlink wireless	6 / 6	312	59	20 - 100	25,000 /-
82	Ready 2 ITC HP (Dual Mic)	CS 63 Flex cable (3 pin), Speedlink / HI PRO or Noahlink wireless	6 / 6	312	69	20 - 105	25,000 /-
83	Ready 2 ITC UP (Dual Mic)	CS 63 Flex cable (3 pin), Speedlink / HI PRO or Noahlink wireless	6 / 6	312	79	20 - 110	25,000 /-
84	Ready 2 CIC LP	CS 63 Flex cable (3 pin), Speedlink / HI PRO	6 / 6	10	49	20 - 85	25,000 /-



Sr. No.	Model Name	Programming Adapters	Channel / Bands	Battery Types	Full on Gain	Fitting Range	MRP. in ₹
85	Ready 2 CIC MP	CS 63 Flex cable (3 pin), Speedlink / HI PRO	6 / 6	10	59	20 - 100	25,000 /-
86	Ready 2 CIC HP	CS 63 Flex cable (3 pin), Speedlink / HI PRO	6 / 6	10	69	20 - 105	25,000 /-
87	Ready 2 CIC UP	CS 63 Flex cable (3 pin), Speedlink / HI PRO	6 / 6	10	79	20 - 110	25,000 /-
88	Ready 2 CIC LP - Wireless CIC #	CS 63 Flex cable (3 pin), Speedlink / HI PRO or Noahlink wireless	6 / 6	312	49	20 - 85	25,000 /-
89	Ready 2 CIC MP - Wireless CIC #	CS 63 Flex cable (3 pin), Speedlink / HI PRO or Noahlink wireless	6 / 6	312	59	20 - 100	25,000 /-
90	Ready 2 CIC HP - Wireless CIC #	CS 63 Flex cable (3 pin), Speedlink / HI PRO or Noahlink wireless	6 / 6	312	69	20 - 105	25,000 /-
91	Ready 2 CIC UP - Wireless CIC #	CS 63 Flex cable (3 pin), Speedlink / HI PRO or Noahlink wireless	6 / 6	312	79	20 - 110	25,000 /-
92	Ready 2 IIC (CIC With black faceplate)	CS 63 Flex cable (3 pin), Speedlink / HI PRO	6 / 6	10	49	20 - 85	25,000 /-

### Step 4

Adaptive wind noise reduction, Personal noise reduction, Adaptive Noise Reduction, Auto Steered directionality Speech Focused Directionality, Fixed Directionality, Feedback Manager Plus, Preset Feedback Manager, Nano Coating

Software - Appraise 2.4

Chipset - C 4.3 (Coyote)

93	ST 460 D RIE (WL)*	PA with CS44 cable, Speedlink / HI PRO or Noahlink wireless	12 / 7	312	74	20 - 100	36,000 /-
94	ST 480 P BTE (WL)* with metal hook	PA with CS44 cable, Speedlink / HI PRO or Noahlink wireless	12 / 7	13	80	25 - 115	36,000 /-
95	P ITC (WL)*	CS 63 Flex cable (3 pin), Speedlink / HI PRO or Noahlink wireless	12 / 7	312	62	20 - 90	36,000 /-
96	P CIC	CS 63 Flex cable (3 pin), Speedlink / HI PRO	12 / 7	10	53	20 - 90	36,000 /-

### Step 2

Adaptive Noise Reduction, Auto Steered directionality Speech Focused Directionality, Fixed Directionality, Feedback Manager Plus, Nano Coating

Software - Appraise 2.4

Chipset - C 4.3 (Coyote)

97	ST 260 D RIE (WL)	PA with CS44 cable, Speedlink / HI PRO or Noahlink wireless	7 / 6	312	74	20 - 100	28,000 /-
98	ST 280 P BTE (WL)	PA with CS44 cable, Speedlink / HI PRO or Noahlink wireless	7 / 6	13	80	25 - 115	28,000 /-
99	P ITC (WL)	CS 63 Flex cable (3 pin), Speedlink / HI PRO	7 / 6	312	62	20 - 90	28,000 /-
100	P CIC	CS 63 Flex cable (3 pin), Speedlink / HI PRO	7 / 6	10	53	20 - 90	28,000 /-

### SUPER POWER BTE

Adaptive Noise Reduction, Frequency Shifting, Linear mode (Peak and Soft Compression), Wide Dynamic Range Compression, Multi-channel MPO (Maximum Power Output), Fixed Directionality, Speech-focused Directionality, Auto-steered Directionality, Feedback Manager, Feedback Manager Plus incl. Feedback Guard

Software - Appraise 2.4

Chipset - C 4.5 (Coyote)

101	GAIN 390 D	PA with CS44 cable, Speedlink / HI PRO	9 / 6	675	86	60 - 120	28,000 /-
102	GAIN 290 D	PA with CS44 cable, Speedlink / HI PRO	6 / 4	675	86	60 - 120	21,000 /-

Sr. No.	Model Name	Programming Adapters	Channel / Bands	Battery Types	Full on Gain	Fitting Range	MRP. in ₹
---------	------------	----------------------	-----------------	---------------	--------------	---------------	-----------

### SHARE 1.3

Logarithmic WDRC - Channels 8, Microphone Noise Reduction, Adaptive Noise Reduction (-3dB), Omni Directionality, Fixed Directionality, Speech-focused Directionality, Auto-steered Directionality, Feedback Manager Plus, Feedback Manager, Flexible Comfort programs 2, Total program choices 4, Data logging, AutoPhone, Nano Coating technology

Software - Appraise 2.4

Chipset - C 4.1 (Coyote)

103	SR 1360 -DVI RIE	PA with CS44 cable, Speedlink / HI PRO	8 / 6	312	69	20 - 100	21,000 /-
104	P ITC VC	CS 63 Flex cable (3 pin), Speedlink / HI PRO	8 / 6	312	60	20 - 90	21,000 /-
105	P ITC	CS 63 Flex cable (3 pin), Speedlink / HI PRO	8 / 6	312	60	20 - 90	21,000 /-
106	CIC	CS 63 Flex cable (3 pin), Speedlink / HI PRO	8 / 6	10	44	20 - 80	21,000 /-
107	P CIC	CS 63 Flex cable (3 pin), Speedlink / HI PRO	8 / 6	10	52	20 - 90	21,000 /-
108	SR 1380 P BTE	PA with CS44 cable, Speedlink / HI PRO	8 / 6	13	75	30 - 110	21,000 /-

### SHARE 1.2

Logarithmic WDRC - Channels 6, Microphone Noise Reduction, Adaptive Noise Reduction (-3dB), Omni Directionality, Fixed Directionality, Feedback Manager, Flexible Comfort programs 1, Total program choices 3, Data logging, AutoPhone, Nano Coating technology

Software - Appraise 2.4

Chipset - C 4.1 (Coyote)

109	SR 1280 P BTE	PA with CS44 cable, Speedlink / HI PRO	6 / 4	13	75	30 - 110	18,000 /-
110	P ITC VC	CS 63 Flex cable (3 pin), Speedlink / HI PRO	6 / 4	312	60	20 - 90	18,000 /-
111	P ITC	CS 63 Flex cable (3 pin), Speedlink / HI PRO	6 / 4	312	60	20 - 90	18,000 /-
112	CIC	CS 63 Flex cable (3 pin), Speedlink / HI PRO	6 / 4	10	44	20 - 80	18,000 /-
113	P CIC	CS 63 Flex cable (3 pin), Speedlink / HI PRO	6 / 4	10	52	20 - 90	18,000 /-

### SHARE 1.1

Logarithmic WDRC - Channels 4, Omni Directionality, Feedback Manager, Flexible Comfort programs 1, Total program choices 2, Data logging, Nano Coating technology

Software - Appraise 2.4

Chipset - C 4.1 (Coyote)

114	SR 1170 BTE	PA with CS44 cable, Speedlink / HI PRO	4 / 4	13	69	20 - 90	15,000 /-
115	SR 1180 P BTE	PA with CS44 cable, Speedlink / HI PRO	4 / 4	13	75	30 - 110	16,000 /-
116	P ITC VC	CS 63 Flex cable (3 pin), Speedlink / HI PRO	4 / 4	312	60	20 - 90	16,000 /-
117	P ITC	CS 63 Flex cable (3 pin), Speedlink / HI PRO	4 / 4	312	60	20 - 90	16,000 /-
118	CIC	CS 63 Flex cable (3 pin), Speedlink / HI PRO	4 / 4	10	44	20 - 80	16,000 /-
119	P CIC	CS 63 Flex cable (3 pin), Speedlink / HI PRO	4 / 4	10	52	20 - 90	16,000 /-

Sr. No.	Model Name	Programming Adapters	Channel / Bands	Battery Types	Full on Gain	Fitting Range	MRP. in ₹
<b>START</b>							
Logarithmic 6 Channel WDRC, 3 Gain Handles in Fitting Software, Background Noise Reduction, Microphone Noise Reduction, Adaptive Feedback Cancellation, Push Button with up to 3 Programs, Telecoil with M-T Balance, Fixed Directionality/ 2 microphones, Stand-by Mode, Audible Signal Tones, Earwax Management System, On/Off switch via the battery door, Left/right side indicators/colour markers, Direct Audio Input (DAI)							
Software - Appraise 1.5							
120	START ITC VC HPG	CS 63 Flex cable (3 pin), Speedlink / HI PRO	6 / 3	312	50	20 - 90	15,000 /-
121	START D ITC HPG	CS 63 Flex cable (3 pin), Speedlink / HI PRO	6 / 3	312	50	20 - 90	15,000 /-
122	START CIC HPG	CS 63 Flex cable (3 pin), Speedlink / HI PRO	6 / 3	10	45	20 - 90	15,000 /-
<b>STAGE III</b>							
100 % Digital Signal Processing, 4 Channel Swift Compression (WDRC), Noise Reduction, Feedback Management*, Analogue Volume Control, Push Button For Programs, Telecoil, Audible Tones(Low Battery Warning, Program Change, Delayed Activation Notification), 3 Trimmer Control (HF,LF & MPO)							
* Only in 393 SP BTE							
Trimmer Digital Hearing Aids							
123	ISG 373 BTE	3, P / L / H	4 / 4	13	64	20 - 90	11,500 /-
124	ISG 383 P BTE	3, P / L / H	4 / 4	13	72	20 - 100	12,000 /-
125	ISG 393 SP BTE	3, P / L / H	4 / 4	675	86	60 - 120	15,000 /-
<b>STAGE II</b>							
100 % Digital Signal Processing, 4 Channel Swift Compression (WDRC), Noise Reduction, Analogue Volume Control, Push Button For Programs, Audible Tones(Low Battery Warning, Program Change, Delayed Activation Notification), 2 Trimmer Control(LF & MPO)							
Trimmer Digital Hearing Aids							
126	ISG 273 BTE	2, P / L	4 / 4	13	64	20 - 90	8,500 /-
127	ISG 283 P BTE	2, P / L	4 / 4	13	72	20 - 100	9,900 /-
128	ITE	Upto 2	4 / 4	13	68	20 - 95	10,500 /-
129	ITC / P ITC	Upto 2	4 / 4	312	60	20 - 85	10,500 /-
130	CIC	Upto 1	4 / 4	10	52	20 - 80	10,500 /-
<b>WIRELESS ACCESSORIES **</b>							
131	Multi Mic						17,700 /-
132	PHONE CLIP 2						17,700 /-
133	REMOTE Control 2						17,700 /-
134	TV Streamer 2						17,700 /-

\*\* Compatible with Ready 3, Ready 4, Ready 6, Step 4 (Except CIC & IIC)

## Receivers and domes



## Colours

### RIE and BTE products

	Medium Blonde	Beige	Black
Interton Ready			
Interton Gain			

### Customs

	Beige	Dark Brown
Interton Ready		

## Accessories



TV Streamer 2      Multi Mic      Phone Clip 2      Remote Control 2

## Ready & Gain

	RIE (Receiver-in-the-ear)	BTE (Behind-the-ear)	Custom	Super power
Plus	<b>Interton Ready 6</b>  RIE 61   RIE 62 312   13	<b>Interton Ready 6</b>  BTE   Power BTE/ HighPower BTE 13   13	<b>Interton Ready 6</b>  CIC   ITC 10A   312	
Basic	<b>Interton Ready 4</b>  RIE 61   RIE 62 312   13	<b>Interton Ready 4</b>  BTE   Power BTE/ HighPower BTE 13   13	<b>Interton Ready 4</b>  CIC   ITC 10A   312	
Budget	<b>Interton Ready 3</b>  RIE 61   RIE 62 312   13	<b>Interton Ready 3</b>  BTE   Power BTE/ HighPower BTE 13   13	<b>Interton Ready 3</b>  CIC   ITC 10A   312	<b>Interton Gain 3</b>  Super Power BTE 675
	<b>Interton Ready 2</b>  RIE 61   RIE 62 312   13	<b>Interton Ready 2</b>  BTE   Power BTE/ HighPower BTE 13   13	<b>Interton Ready 2</b>  CIC   ITC 10A   312	<b>Interton Gain 2</b>  Super Power BTE 675

## Portfolio overview

**Sound streaming**

- Made for iPhone, iPad and iPod touch and compatible with all accessories
- Accessories
- Interton Sound app\*
- Tinnitus Sound Generator

**Interton accessories**

- Compatible with all accessories
- TV streamer 2
- Multi mic
- Phone clip 2
- Remote Control 2

**Battery size**

- 10A   13   312   675

\*Download on the App Store and on Google Play

## ELITE ORGO CHEM

Sai Sangam, Office No. - 803, 8th Floor, Plot No. - 85, CBD, Belapur, Navi Mumbai - 400614. Tel: +91 - 22 - 27564481 / 83

E-mail: eliteorgo@gmail.com Website: www.interton.in